

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"20050015375".pn. and (service adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:31
L2	6014	Web adj Services	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:31
S14 6	0	"20050015375".pn. and (service adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:31
S14 7	1	"20050015375".pn. and (service near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 18:14
S14 8	1	"20050015375".pn. and (service same class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 18:21
S14 9	1	"20050015375".pn. and ((service same class) or (generic adj object adj class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 18:28
S15 0	1	"20050015375".pn. and ((service same class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 18:29
S15 1	1	"20050015375".pn. and ((service same class)) and (description adj document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 18:30
S15 2	1	"20050015375".pn. and ((service same class)) and (description adj document) and (class adj definitions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 18:30
S15 3	6013	Web adj Services	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 11:48

EAST Search History

S15 4	0	(Web adj Services) same (deriv\$5 adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 11:48
S15 5	5	(Web adj Services) same (deriv\$5 near10 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 15:28
S15 6	2	"6823263".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 17:15
S15 7	2	"20050171975".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 17:15
S15 8	144	(compil\$5 near3 code) adj3 client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:23
S15 9	2	S158 and (batch adj process\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:23
S16 0	12	(compil\$5 near3 code) adj3 (client near3 side)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:24
S16 1	37	(compil\$5) adj3 (client near3 side)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:26
S16 2	1094	(perform\$4 adj batch adj process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:29
S16 3	11	S162 and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:27

EAST Search History

S16 4	0	(database adj operations) near3 include near3 (batch adj process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:30
S16 5	3	(database adj operations) same include same (batch adj process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 18:30

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	USPAT	OR	ON	2006/07/17 11:33
L2	1	"20050015375".pn. and serial\$6	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L3	1303	(Web adj Services adj Descriptive adj Language) or WSDL	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L4	1258	L3 and (generic nera3 (object or class))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L5	27	L3 and (generic near3 (object or class))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L6	7676	Web adj Service	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L7	97	L6 and (generic adj (class or object))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L8	13	L7 and WSDL	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L9	243	access same new same generic same object	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L10	2	L9 and WSDL	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L11	17	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L12	48	("6061692" "6061692" "6219700" "6219700" "6393569" "6023464" "6442549" "6167449" "5918229" "5890171" "6418402" "6931429" "5889942" "6064979" "5778367" "5737533" "6324538" "6442598" "6608634" "6850940" "6134450" "6397219" "6466940" "6463454" "6466980" "5692180" "6119133" "5819285" "6249576" "5712979" "5717860" "5813006" "5812769" "6067568" "6195660" "6208998" "5995999" "6292880" "6453319" "5761499" "5893118" "6098108" "6336137" "6085030" "6292830" "6237022" "6516349" "6345266" "6629132" "5950173").pn.	USPAT	OR	ON	2006/07/17 11:33
L13	49	("5918227" "5923738" "5930341" "5937041" "6002394" "6078866" "6189003" "6381634" "6658389" "6701352" "6934684" "6980991" "6144959" "5548726" "5594921" "5758077" "6031977" "5826000" "5832211" "5852722" "5862323" "6078952" "6212557" "6212557" "6347312" "6360266" "6366954" "6381324" "6438549" "6498612" "5727156" "6253188" "6269369" "6714916" "6625603" "6012085" "6064977" "6147687" "6049831" "5794230" "5855020" "6002853" "6311194" "6732117" "6816864" "5893107" "6360230" "5896444" "6157705" "6345288").pn.	USPAT	OR	ON	2006/07/17 11:33
L14	48	("6697849" "6845503" "6859834" "6879995" "6944788" "6978461" "5742769" "5778369" "5787151" "5872914" "5905774" "5941947" "5999611" "6047289" "6061743" "6061743" "6108691" "6160877" "6484177" "5751956" "5870546" "5974453" "6049829" "6189030" "6385644" "6393468" "6418199" "6466966" "6629136" "6792426" "6857012" "6859833" "6862606" "6877026" "6078929" "5987480" "6463440" "6055525" "6081814" "6215863" "6215863" "6173279" "6915519" "5247670" "6477543" "5617568" "5689701" "5905860" "6014667" "5483652").pn.	USPAT	OR	ON	2006/07/17 11:33
L15	145	L12 or L13 or L14	USPAT	OR	ON	2006/07/17 11:33

EAST Search History

L16	26	xmlinclude or (xml\$1include) or (xml adj include)	USPAT	OR	ON	2006/07/17 11:33
L17	193	xmlinclude or (xml\$1include) or (xml adj include)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L18	28	L17 and (wsdl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L19	135458	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L20	108	L19 and wsdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L21	32	L20 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L22	136439	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L23	117	L22 and wsdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L24	32	L21 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L25	38	generic adj object adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L26	1	xmlinclude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33

EAST Search History

L27	40314	xml serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L28	75	xml adj serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L29	0	(xml adj serialization) and (derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L30	8	(derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L31	2	"20050015375".pn. and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L32	2	"20050015375".pn. and (description adj document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L33	0	2005/0015375.pn. and (generate near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L34	0	2005/0015375.pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L35	2	"20050015375".pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L36	1	"20050015375".pn. and (intermediate adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33

EAST Search History

L37	98	database same operation same search same create same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L38	3	L37 and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L39	1	"20020156685".pn. and (search and create)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/17 11:33
L40	14	(search adj method) and (create adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/17 11:33
L41	2	convert\$4 same compil\$4 same code same WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L42	9	(convert\$4 same compil\$4 same code same description) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L43	12	("20030163597" "20030226109" "20040006550" "6356920" "6418448" "6635089" "6636845" "6658625" "6785673" "6785685" "6832219" "6853997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/17 11:33
L44	17	(convert\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L45	13	(translat\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L46	1	(search adj method) and (create adj method) and (return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/17 11:33
L47	107	(return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/17 11:33

EAST Search History

L48	18	((search adj (method or function)) same return same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L49	75	(search adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L50	0	(search adj (method or function) adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L51	4	(search adj (method or function) near8 result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L52	7	(search adj (method or function)) same (array near3 result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L53	133	(object or class) and ((search adj method) same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L54	9	((search adj method) same returns same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L55	12964	(search adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L56	251	(class or object) same search same return same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:33
L57	0	"20040162871".pn. and search	USPAT	OR	OFF	2006/07/17 11:33
L58	1	"20040162871".pn. and search	US-PGPUB; USPAT	OR	OFF	2006/07/17 11:33
L59	7696	search adj method	US-PGPUB; USPAT	OR	ON	2006/07/17 11:33
L60	173	L59 and web adj service	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34

EAST Search History

L61	15	allow same heterogeneous same result same array same method	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L62	301	(search adj results) same array	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L63	65	method same (search adj results) same array	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L64	1	"20030233360".pn. and ((search adj results) same array)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L65	3	(create adj method) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L66	10	(create adj (method or function)) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L67	502	SOAP and LDAP	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L68	264	L67 and (web adj service)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L69	4	L68 and (create adj method)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L70	2844	directory adj access adj protocol	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L71	2754	L70 and LDAP	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L72	334	L71 and (web adj service)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L73	51	L72 and (serializ\$5 or deserializ\$5)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L74	85	communicate same database same server same (directory near3 access near3 protocol)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L75	1	(create adj method) same array near3 (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L76	1	(create adj method) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L77	1	(create adj method) near3 (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L78	23606	(create adj method) an (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L79	16	(create adj method) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L80	2	(create adj object) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L81	81	(create adj object) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L82	0	(create adj function) same accepts same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L83	0	(create adj function) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L84	0	(creat) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L85	63	(create) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/07/17 11:34
L86	240	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:34

EAST Search History

L87	7	L86 same (operand or argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:34
L88	240	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 11:34